

Product Descriptions for Website Bidets

N800

This affordable, high quality bidet has been designed specifically for all Australians. The N800 is arguably one of the best value bidets with a side control on the Australian market due to its price, design and ingenuity. This bidet incorporates many features that you may not find in other bidets such as a premium stainless steel nozzle, a night light, and functions such as pulse, enema and child. The N800 comes with a simple fixed side control on the right hand side whilst sitting.

The N800 has a SWL of 180kg.

National is a proudly owned and operated Australian brand that was created in 2000. The National Brand was created for the everyday Australian consumer and marketed at an affordable price. Due to its Korean ingenuity and design it is the one of the fastest selling bidets in the country.

The N800 has most of the features that more expensive bidets have but at an affordable price. Some of these features include a stainless steel nozzle that automatically cleanses itself before and after each wash, a soft LED Night Light designed to light the bowl up for easier use during the night and wash functions such as pulse, enema and child.

Incorporated in the N800 is a simple side control that is located on the right hand side of the bidet when sitting.

NOTE: This bidet can fit on either a fully concealed toilet that has no access to the seat bolts or a toilet that does have access to seat bolts

NOTE: When looking at the bidet/ toilet, the 1.5m power lead comes from the RHS and the water pipe comes from the LHS - THIS CANNOT BE CHANGED

Features

Features	Description
Additional Features	
Side Control	All controls are placed on an easy to reach side control on the right side (when you are seated) of the Bidet.
Pulse	The water sprays in a rhythmic pulsating action for a soothing stimulating wash.
Enema	A pencil thin stream of soft aerated water is ideal for constipation. Use while trying to pass a bowel movement for the best results.
Child	The child function reduces the pressure of the water to 50%.
Night Light	The LED light is designed to light up the bowl making it easier to use at night. Can be turned on/off via remote
Standard Features	
Heated Dryer	Blows warm air to gently dry you after a wash and offers 5 temperature settings.
Heated Seat	When sitting on the seat it will warm up to the desired temperature and offers 4 different temperature options (no heat + 3 heat settings).
Heated Water	Cleanses with warm water and offers 4 temperature settings (no heat + 3 heat

Product Descriptions for Website

Bidets

	settings) and 5 water pressure settings.
Rear Cleansing	This function is for washing the bottom area only.
Feminine Cleanse	This feature is exclusively for women, to use for their vaginal area.
Fast Heating	When a user activates the seat sensor the water begins to warm up. When the user presses a wash button the water is at the desired temperature before entering the nozzles.
Nozzles	This bidet comes with a single hardened Stainless Steel Nozzle. This decreases soiling and bacterial growth whilst improving hygiene.
Nozzle Position Adjust	The nozzle is adjustable to 5 different positions and should be adjusted to the correct position for washing.
Self Cleansing Nozzles	Before and after each use of the nozzle, they automatically clean themselves to avoid cross contamination. There is also an additional manual button if they require additional cleaning.
Seat Sensor	The moisture activated seat sensor is incorporated in the design to ensure that the bidet or automatic flushing functions can not be activated unless the seat is occupied. The seat sensor is located between 3 & 5 o'clock on the toilet seat.
Soft Close Seat & Lid	Hydraulic dampers installed at the hinges allow the seat and lid to close softly.
Antibacterial Plastic	The Bidet is made with antibacterial plastic to ensure the highest degree of hygiene & cleanliness.
Power Saving	The Bidet senses when it is not occupied and will automatically go into "power save mode". This function can be turned off and on.
Water Saving	An average wash uses about a tea cup or two of water.
Quick Release	This bidet has a quick release base plate on the bottom of the bidet to enable this bidet to be fitted to toilets that have access to seat bolts and toilets that are fully concealed. With the press of 1 or 2 buttons you can slide the bidet toward the front of the toilet for easy removal.

Requirements

You must ensure that you have a tap on the wall, a powerpoint within 1.5 metres of the toilet & a plumber to complete your installation.

This bidet has a quick release base plate on the bottom of the bidet to enable this bidet to be fitted to toilets that have access to seat bolts and toilets that are fully concealed.

NOTE: You will need to know if your tap is located on the LHS, RHS or in your cistern when looking at your toilet. You will also need to know if you have access to the seat bolts. This knowledge is required as extra accessories for installation may need to be purchased.

NOTE: This bidet comes with both sets of bolts (top fixing & bottom fixing bolts)

Additional products that may be required:

- If TAP is on RHS - 1m of ¼" White Pipe and 2x John Guest Adaptors is required
- If TAP is in the Cistern - ½" Internal Fitting Kit 1x John Guest Adaptor & 1m of White Pipe is required

Product Descriptions for Website

Bidets


- If installed on a bottom fixing toilet with arms/rails & 80mm spacer - Extension Brackets are required
- If installed on a top fixing toilet with a 50mm spacer - Extra Long Top Fixing Bolts are required
- If installed on a top fixing toilet with a 50mm Spacer and Arms/Rails - Extra Long Top Fixing Bolts are required
- If installed on a top fixing toilet with an 80mm Spacer - Extra Long Top Fixing Bolts & Stabilisers are required
- If installed on a top fixing toilet with an 80mm Spacer & Arms/Rails - Extra Long Top Fixing Bolts, Stabilisers and Extension Brackets are required

Sizing

Measurements required in order for this bidet to fit onto your toilet

N800 Regular Seat
A = 490mm or above
B = Between 135 – 195mm
C = 320mm or above
D = 410mm or above


Measurements of bidet seat




Product Descriptions for Website

Bidets

Remote



Box Contents



Specifications

Item			N-800
Rated voltage			AC 220 ~ 240V, 50Hz ~
Max. Power consumption			870W
Power cord length			1.8m
Water feed method			Directly connected to water pipe
Recommended water inlet pressure			0.7 ~ 7.5MPa
Wash	Feed Volume	Wash	0.5~0.8 ℓ/min
		Bidet	0.5~0.7 ℓ/min
		Intensive	0.5~0.7 ℓ/min
		Child	0.5~0.6 ℓ/min
		Pressure control	5 levels
	Temperature control		4 levels (off-low-middle-high)
	Heater capacity		800W
	Safety device		Water level sensor, Thermal fuse, Bi-metal, Temperature sensor
Heated seat	Temperature control		4 levels (off-low-middle-high)
	Heater capacity		55W
	Safety device		Thermal fuse
Dry	Temperature control		Room temp. ~ 40℃
	Heater capacity		250W
	Safety device		Thermal fuse, Bi-metal
Deodorization			Catalytic deodorization
Feed water temp. tolerance range			3 ~ 35℃ (recommended 12 ~ 35℃)
Usage room temp. tolerance range			3 ~ 40℃ (recommended 10 ~ 35℃)
Dimension	-		-
	Round		18.5"(470) x 19.5"(496) x 7.0"(178)
Weight Net weight (Gross weight)	-		-
	Round		4.9kg (7.2kg)

Product Descriptions for Website

Bidets

Installation

A licensed plumber must install this retro-fit bidet in accordance with the Plumbing Code of Australia (PCA) and WMTS 051:2016 Bidet Douche Seats.

Plumbers: For Installation Guide please **[click here](#)** (*Link to Product / Installation Guide already created*)

Warranty

2 year Limited Warranty

(1 Year Standard Manufacturer's Warranty + 1 Year Complimentary Parts & Labour Warranty)

Extended Warranty Available for Purchase

The National Bidet Range is compliant with AS 2845.2:1996 Clause 4.2 Minimum Air Gap
+Logos+

All products must be installed by a licensed plumber in accordance with WMTS 051:2016 Bidet Douche Seat

N1000

John Guest Adaptor

Internal Fitting Kit

Stabilisers

Extension Bracket